

# E-Scape ETQ® Turf Fungicide

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Date of issue: 05/26/2015

Supersedes Date: 08/29/2012

Version: 1.0

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** E-Scape ETQ® Turf Fungicide

**Synonyms:** Chlorothalonil, Tebuconazole

**Other means of identification:** EPA Reg. No. 60063-50

### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** Fungicide

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Manufacturer

Sipcam Agro USA, Inc.

2525 Meridian Parkway, Suite 350

Durham, NC 27713

T 919-226-1195

### 1.4. Emergency Telephone Number

**Emergency Number** : (800) 424-9300 CHEMTREC (transportation and spills) (800) 900-4044 Poison Control Center (human health) (800) 345-4735 ASPCA (animal health)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### Classification (GHS-US)

Acute Tox. 2 H330

(Inhalation:dust,mist)

Skin Sens. 1 H317

Carc. 2 H351

Repr. 2 H361

Aquatic Acute 1 H400

Full text of H-phrases: see section 16

### 2.2. Label Elements

#### GHS-US Labeling

#### Hazard Pictograms (GHS-US)



#### Signal Word (GHS-US)

: Danger

#### Hazard Statements (GHS-US)

: H317 - May cause an allergic skin reaction.  
H330 - Fatal if inhaled.  
H351 - Suspected of causing cancer (Inhalation).  
H361 - Suspected of damaging fertility or the unborn child (Inhalation).  
H400 - Very toxic to aquatic life.

#### Precautionary Statements (GHS-US)

: P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe mist, spray, vapors.  
P271 - Use only outdoors or in a well-ventilated area.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear eye protection, protective clothing, protective gloves, respiratory protection.  
P284 - - Respiratory protection .

# E-Scape ETQ® Turf Fungicide

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P302+P352 - If on skin: Wash with plenty of water.  
P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P310 - Immediately call a doctor, a POISON CENTER.  
P321 - Specific treatment (see Section 4 on this SDS).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

No additional information available

### 2.4. Unknown Acute Toxicity (GHS-US)

~12% of the mixture consists of ingredient(s) of unknown acute toxicity. of the mixture consists of ingredients of unknown acute toxicity.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
Chlorothalonil	(CAS No) 1897-45-6	30.51	Acute Tox. 1 (Inhalation:dust,mist), H330 Eye Irrit. 2B, H320 Carc. 2, H351 Aquatic Acute 1, H400
Tebuconazole	(CAS No) 80443-41-0	8.47	Acute Tox. 3 (Oral), H301
Titanium Dioxide	(CAS No) 13463-67-7	Trade Secret	Respiratory
Propylene glycol	(CAS No.) 57-55-6	≤5	Not Classified

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** Fatal if inhaled. May cause cancer. May damage fertility. May damage the unborn child. May cause an allergic skin reaction.

**Symptoms/Injuries After Inhalation:** Fatal if inhaled.

**Symptoms/Injuries After Skin Contact:** Exposure may produce an allergic reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** The product is not considered to be irritating to the eyes.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** May cause cancer. May damage fertility or the unborn child.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

# E-Scape ETQ® Turf Fungicide

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Alcohol foam, carbon dioxide, dry chemical, water spray, fog. Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. A heavy water stream may spread burning liquid.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Firefighting Instructions:** Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses. De-contaminate equipment or materials involved in pesticide fires.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Handle in accordance with good industrial hygiene and safety practice.

#### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel. Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely.

### 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Avoid breathing vapors or contact with the material. Only use in well ventilated areas.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Container remains hazardous when empty. Continue to observe all precautions.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

**Incompatible Products:** Strong acids. Strong bases. Strong oxidizers.

**Storage Area:** Store locked up.

### 7.3. Specific End Use(s)

Fungicide.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

Titanium Dioxide (13463-67-7)		
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	5000 mg/m <sup>3</sup>
Propylene glycol (57-55-6)		
AIHA	AIHA TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

### 8.2. Exposure Controls

**Appropriate Engineering Controls**

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

# E-Scape ETQ® Turf Fungicide

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Personal Protective Equipment

: Protective goggles. Gloves. High gas/vapor concentration: gas mask.



## Hand Protection

: Wear chemically resistant protective gloves.

## Eye Protection

: Chemical goggles or safety glasses.

## Skin and Body Protection

: Use chemically protective clothing.

## Respiratory Protection

: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

## Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Very light beige
Odor	: Mild odor
Odor Threshold	: No data available
pH	: 5.61
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: 100 °C (212 °F)
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Specific Gravity	: 1.19
Specific gravity / density	: 9.93 lb/gal @25°C
Solubility	: Water: Disperses
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available
Oxidation/Reduction Properties	: Compatible with water, ammonium phosphate, iron powder, gasoline. Not compatible with potassium permanganate.

### 9.2. Other Information No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Product is stable.
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures.
- 10.5. Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.
- 10.6. Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information On Toxicological Effects

Acute Toxicity: Inhalation:dust,mist: Fatal if inhaled.

E-Scape ETQ® Turf Fungicide	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5050 mg/kg
LC50 Inhalation Rat	> 2.23 mg/l/4h
ATE (Dust/Mist)	0.16 mg/l/4h

# E-Scape ETQ® Turf Fungicide

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Chlorothalonil (1897-45-6)</b>	
LD50 Oral Rat	3500 - 4800 mg/kg
LD50 Dermal Rat	2020 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	2.52 - 13 mg/l/4h
ATE (Oral)	3,500.00 mg/kg body weight
ATE (Dermal)	2,020.00 mg/kg body weight
ATE (Vapors)	2.52 mg/l/4h
ATE (Dust/Mist)	0.05 mg/l/4h

  

<b>Propylene glycol (57-55-6)</b>	
LD50 Oral Rat	20 g/kg
LD50 Dermal Rabbit	20800 mg/kg

**Skin Corrosion/Irritation:** Not classified

**pH:** 5.61

**Serious Eye Damage/Irritation:** Not classified.

**pH:** 5.61

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Suspected of causing cancer (Inhalation).

<b>E-Scape ETQ® Turf Fungicide</b>	
<b>Additional information</b>	<p>Chlorothalonil: Repeated excessive dermal exposure may cause marked skin irritation and may increase the possibility of allergic reactions. Studies on rats and mice have suggested that technical chlorothalonil, when fed at high levels in the diet, may have oncogenic potential to these laboratory animals. However, neither chlorothalonil nor its metabolites interact with DNA and thus are not mutagenic. Tumor formation has been related to a non-genotoxic mechanism of action from which threshold levels have been established on rats and mice. Comprehensive dietary and worker exposure studies have shown exposure levels for humans to be well below these threshold levels - in addition, surveillance of chlorothalonil plant workers for many years has not demonstrated any increase in oncogenic potential to humans.</p> <p>Tebuconazole: Based on animal toxicity studies on the active ingredient, there may be toxic effects on the following organs following chronic repeated exposure: spleen, liver, adrenal gland, and lens of the eye. In dermal toxicity studies using rabbits, the active ingredient was administered at doses up to and including 1000 mg/kg for 6 hours/day, 5 days/week for a period of 3 weeks. There were no local or systemic effects observed at any of the levels tested. The no-observed-effect-level (NOEL) was 1000 mg/kg. In a 3-week inhalation study, rats were exposed to the active ingredient for 6 hours/day, 5 days/week at aerosol concentrations of 1.2, 10.6, or 155.8 mg/cubic meter of air. Liver enzyme effects were observed at the high concentration. The NOEL was 10.6 mg/cubic meter of air. In chronic dog studies, the active ingredient was administered for 52 weeks at dietary concentrations of 40, 100, 150, 200 or 1000 ppm. Due to a lack of significant effects, the high dose was increased to 2000 ppm at 40 weeks for the remainder of the study. At the high dose, effects relating to liver, spleen, ocular and adrenal were observed. The overall NOEL from these studies was 100 ppm based on adrenal effects. In a 2-year study, the active ingredient was administered to rats at dietary concentrations of 100, 300 or 1000 ppm. There was a reduction in body weight gains and an increased incidence of liver and spleen effects at the high dose. The NOEL was 300 ppm. The active ingredient was investigated for carcinogenicity in feeding studies using rats and mice. There was no indication of a carcinogenic effect in rats or mice when tested at dose levels up to and including the maximum tolerated dose (MTD) for each species. An increased incidence of hepatocellular neoplasms occurred in mice at a dose level approximately three fold greater than the MTD. The active ingredient has been evaluated for developmental toxicity in oral studies using mice, rats and rabbits. In mice treated at dose levels ranging from 1-100 mg/kg, the NOELs for maternal and developmental toxicity were 3 and 10 mg/kg, respectively. When rats were treated at dose levels of 30, 60 or 120 mg/kg, the NOELs for maternal and developmental toxicity were 30 and 60 mg/kg, respectively. For rabbits treated at dose levels of 10, 30 or 100 mg/kg, the NOELs for maternal and developmental toxicity were less than 10 and 30 mg/kg, respectively. In dermal teratology studies on rats and mice, the active ingredient was administered during gestation at</p>

# E-Scape ETQ® Turf Fungicide

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	dose levels of 100, 300 or 1000 mg/kg. In rats, there was no indication of maternal or developmental toxicity; therefore, the maternal and developmental NOEL was 1000 mg/kg. In mice, the NOELs for maternal and developmental toxicity were 100 and 300 mg/kg, respectively. In a reproduction study, the active ingredient was administered to rats at dietary concentrations of 100, 300 or 1000 ppm for 2 generations. Smaller litter sizes and decreased pup weight gain was observed in conjunction with maternal toxicity at the high concentration. The maternal and reproductive NOEL was 300 ppm.
--	--

<b>Chlorothalonil (1897-45-6)</b>	
<b>IARC group</b>	2B
<b>National Toxicology Program (NTP) Status</b>	Evidence of Carcinogenicity.
<b>OSHA Hazard Communication Carcinogen List</b>	In OSHA Hazard Communication Carcinogen list.

<b>Titanium Dioxide (13463-67-7)</b>	
<b>IARC group</b>	2B

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child (Inhalation).

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Fatal if inhaled.

**Symptoms/Injuries After Skin Contact:** Exposure may produce an allergic reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** The product is not considered to be irritating to the eyes.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** May cause cancer. May damage fertility or the unborn child.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Toxic to aquatic life.

<b>Chlorothalonil (1897-45-6)</b>	
<b>LC50 Fish 1</b>	0.012 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
<b>EC50 Daphnia 1</b>	0.0342 - 0.143 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
<b>LC 50 Fish 2</b>	0.0076 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

<b>Propylene glycol (57-55-6)</b>	
<b>LC50 Fish 1</b>	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>EC50 Daphnia 1</b>	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)
<b>LC 50 Fish 2</b>	41 - 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
<b>EC50 Daphnia 2</b>	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

### 12.2. Persistence and Degradability

<b>E-Scape ETQ® Turf Fungicide</b>	
<b>Persistence and Degradability</b>	Not established.

### 12.3. Bioaccumulative Potential

<b>E-Scape ETQ® Turf Fungicide</b>	
<b>Bioaccumulative Potential</b>	Not established.

<b>Chlorothalonil (1897-45-6)</b>	
<b>Log Pow</b>	2.9 (at 22 °C)

<b>Propylene glycol (57-55-6)</b>	
<b>BCF fish 1</b>	< 1
<b>Log Pow</b>	-0.92

**12.4. Mobility in Soil** No additional information available

### 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

# E-Scape ETQ® Turf Fungicide

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Additional Information:** Empty containers should be taken for recycle, recovery or waste in accordance with local regulation. The materials contained within this product are hazardous to the environment, do not release into the environment. Waste should be disposed via local authority waste collection service or registered waste carrier, ensuring that the destination is a licensed facility. All packaging shall be emptied and removed according to regulations, or be recirculated without removal of labeling. Do not dispose with household garbage.

## SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/IMDG/DOT

### 14.1. UN Number

UN-No.(DOT) : 3381  
DOT NA no. UN3381

### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Toxic by inhalation liquid, n.o.s.  
with an LC50 lower than or equal to 200 ml/m3 and saturated vapor concentration greater than or equal to 500 LC50

Department of Transportation (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

Hazard Classes

Hazard Labels (DOT) : 6.1 - Poison inhalation hazard



DOT Symbols : G - Identifies PSN requiring a technical name

Packing Group (DOT) : I - Great Danger

# E-Scape ETQ® Turf Fungicide

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- DOT Special Provisions (49 CFR 172.102)** :
- 1 - This material is poisonous by inhalation (see 171.8 of this subchapter) in Hazard Zone A (see 173.116(a) or 173.133(a) of this subchapter), and must be described as an inhalation hazard under the provisions of this subchapter.
  - B9 - Bottom outlets are not authorized.
  - B14 - Each bulk packaging, except a tank car or a multi-unit-tank car tank, must be insulated with an insulating material so that the overall thermal conductance at 15.5 C (60 F) is no more than 1.5333 kilojoules per hour per square meter per degree Celsius (0.075 Btu per hour per square foot per degree Fahrenheit) temperature differential. Insulating materials must not promote corrosion to steel when wet.
  - B30 - MC 312, MC 330, MC 331 and DOT 412 cargo tanks and DOT 51 portable tanks must be made of stainless steel, except that steel other than stainless steel may be used in accordance with the provisions of 173.24b(b) of this subchapter. Thickness of stainless steel for tank shell and heads for cargo tanks and portable tanks must be the greater of 7.62 mm (0.300 inch) or the thickness required for a tank with a design pressure at least equal to 1.5 times the vapor pressure of the lading at 46 C (115 F). In addition, MC 312 and DOT 412 cargo tank motor vehicles must: a. Be ASME Code (U) stamped for 100% radiography of all pressure-retaining welds; b. Have accident damage protection which conforms with 178.3458 of this subchapter; c. Have a MAWP or design pressure of at least 87 psig; and d. Have a bolted man way cover.
  - T22 - 10 10 mm Prohibited 178.275(g)(3).
  - TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling =  $95 / (1 + a (tr - tf))$  Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula:  $a = (d15 - d50) / 35d50$  Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.
  - TP13 - Self-contained breathing apparatus must be provided when this hazardous material is transported by sea.
  - TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
  - TP38 - Each portable tank must be insulated with an insulating material so that the overall thermal conductance at 15.5 C (60 F) is no more than 1.5333 kilojoules per hour per square meter per degree Celsius (0.075 Btu per hour per square foot per degree Fahrenheit) temperature differential. Insulating materials may not promote corrosion to steel when wet.
  - TP44 - Each portable tank must be made of stainless steel, except that steel other than stainless steel may be used in accordance with the provisions of 173.24b(b) of this subchapter. Thickness of stainless steel for tank shell and heads must be the greater of 7.62 mm (0.300 inch) or the thickness required for a portable tank with a design pressure at least equal to 1.5 times the vapor pressure of the hazardous material at 46 C (115 F).
- DOT Packaging Exceptions (49 CFR 173.xxx)** :
- None
- DOT Packaging Non Bulk (49 CFR 173.xxx)** :
- 226
- DOT Packaging Bulk (49 CFR 173.xxx)** :
- 244



# E-Scape ETQ® Turf Fungicide

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 14.3. Additional Information

Emergency Response Guide (ERG) Number : 151

### Transport by Sea

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

### Air Transport

DOT Quantity Limitations Passenger Aircraft/Rail (49 CFR 173.27) : Forbidden

DOT Quantity Limitations Cargo Aircraft Only (49 CFR 175.75) : Forbidden

## SECTION 15: REGULATORY INFORMATION

### 15.1 US Federal Regulations

E-Scape ETQ® Turf Fungicide	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
EPA FIFRA Pesticide Product Notice	This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.
EPA FIFRA Signal Word	Caution
EPA FIFRA Hazard Statements	Harmful if inhaled.
EPA FIFRA Precautionary Statements	Avoid breathing dust, mist or spray. Remove and wash contaminated clothing before reuse.

#### Chlorothalonil (1897-45-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on United States SARA Section 313

SARA Section 313 - Emission Reporting : 0.1 %

#### Propylene glycol (57-55-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag : Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### 15.2 US State Regulations

#### Chlorothalonil (1897-45-6)

U.S. - California - Proposition 65 - Carcinogens List : WARNING: This product contains chemicals known to the State of California to cause cancer.

#### Chlorothalonil (1897-45-6)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

#### Propylene glycol (57-55-6)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

# E-Scape ETQ® Turf Fungicide

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 5/26/2015

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases:

Acute Tox. 1 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H226	Flammable liquid and vapor
H232	May form combustible dust concentrations in air
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H330	Fatal if inhaled
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)